



## F1INOX

### F1 PRECISION CLASS WEIGHTS IN STAINLESS STEEL



STAINLESS STEEL weights suitable for use in legal metrology, research, and industrial applications. The F1 precision class allows for the use of these weights for the check and calibration of scales and instruments in class II up to 100000e.

Our solutions for quality assurance and certainty of your measurements.

## MAIN FEATURES

- In conformance with the oiml - r111 recommendation;
- f1 precision class;
- in highly polished austenitic stainless steel;
- accredia (ea) calibration certificate upon request;
- available with single or multiple case made of plastic or wood (Case is compulsory for certified weights).

## LASER MARKING SERVICE UPON REQUEST:

- The laser marking service is useful to identify each sample weight or mass individually. More specifically:
    - The marking allows easier identification and traceability of each weight or mass;
    - It is perfectly smooth, does not remove material from the weight and does not affect the surface, thus avoiding dust deposit;
    - It is customisable, according to the requirements of the companies.
- In addition:
- It remains unchanged over time;
  - It can be performed on previously purchased masses and weights, of all accuracy classes, from 1 g to 20 kg;
  - It is perfect for pharmaceutical industries and laboratories.
























## DETAIL 1



Example of optional laser marking

## VERSIONS

### WEIGHTS F1 CLASS

Codice	Valore	Toll. +/- mg	Densità kg/m <sup>3</sup>	Forma	Materiale
WAF1M1	1 mg	0,020	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1M2	2 mg	0,020	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1M5	5 mg	0,020	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1M10	10 mg	0,025	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1M20	20 mg	0,03	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1M50	50 mg	0,04	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1M100	100 mg	0,05	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1M200	200 mg	0,06	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1M500	500 mg	0,08	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF11	1 g	0,10	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF12	2 g	0,12	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF15	5 g	0,16	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF110	10 g	0,20	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF120	20 g	0,25	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF150	50 g	0,3	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1100	100 g	0,5	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1200	200 g	1,0	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1500	500 g	2,5	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1K1	1 kg	5,0	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1K2	2 kg	10	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1K5	5 kg	25	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1K10	10 kg	50	7950 kg/m <sup>3</sup>		STAINLESS STEEL
WAF1K20	20 kg	100	7950 kg/m <sup>3</sup>		STAINLESS STEEL



QUALITY ASSURANCE AND CERTAINTY OF YOUR MEASUREMENTS



**OFFICE**

Via Picasso, 18/20  
20025 Legnano (MI) - Italy



SALES AND TECHNICAL ASSISTANCE SERVICE

*All the specifications and images can be subject to variations and upgrades without prior notice.*