

TPR

TPR THERMAL PRINTER



Thermal printer available either for panel mounting as well as attached to the indicator. Its versatility makes it suitable to satisfy all printing requirements in the industrial field.

TECHNICAL SPECIFICATIONS

PRINT METHOD: ThermalRESOLUTION: 203 dpiCOLUMNS: 24/40

• PAPER WIDTH: 58 mm

ROLL SIZE: Diameter of 50 mmPRINT SPEED: up to 50 mm/sec


• PRINT FORMATS: Normal, double height and width, negative, underlined, expanded

• PRINT DIRECTION: Straight, upside down

• GRAPHICS MEMORY: 1 logo 384 x 85 dots, programmable upon request in combination with DFW / CPWE / 3590E series indicators

N.B. ACCESSORY WHICH MAY BE ORDERED ONLY COMBINED WITH A SUITABLE WEIGHT INDICATOR

DETAIL 1



OBTPRB - dimensions in mm





DINI ARGEO FRANCE sarl France DINI ARGEO GMBH Germany

DINI ARGEO UK Ltd United Kingdom DINI ARGEO WEIGHING INSTRUMENTS Ltd China DINI ARGEO OCEANIA Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 921784

| - | |
|---|--|
| | |
| | |
| | |
| | SALES AND TECHNICAL ASSISTANCE SERVICE |