

SCBTH

"SCBTH" SERIES BLUETOOTH BARCODE SCANNER



BLUETOOTH barcode scanner gun for use with weight indicator **3590 TOUCH SCREEN** series. Work distance of up to 10 m Support base for recharging supplied as standard equipment

The best solution
for advanced industrial
applications

FEATURES

- Operating life of approx. 24 hours (considering 1 scan every 5 seconds)
- Feedback LED, vibration and acoustic signal to notify the user with regards to reader operations.
- Communication range 10 m
- Optics: CMOS area sensor
- Reading speed: 60 scans/sec
- Communication: Bluetooth Ver. 2.1, SPP/HID
- Reading: 1D/2D
- Recharging through support base, supplied as standard equipment
- Weight: 132 g
- Dimensions: 56 x 135 x 113 mm

SUPPORTED BARCODES

- Type "1D" barcodes: JAN/UPC/EAN incl. add on, Codabar/NW-7, Code 11, Code 39, Code 93, Code 128, GS1-128 (EAN-128), GS1 DataBar (RSS), IATA, Industrial 2of5, Interleaved 2of5, ISBN-ISSN -ISMN, Matrix 2of5, MSI/Plessey, S-Code, Telepen, Tri-Optic, UK/Plessey Postal code: Chinese Post, Intelligent Mail Barcode, Korean Postal Authority code, POSTNET.
- Type "2D" barcodes: Aztec Code, Aztec Runes, Chinese Sensible code, Codablock F, Composite codes, Data Matrix (ECC200), Maxi Code (mode 2-5), MicroPDF417, Micro QR Code, Passport MRZ (OCR-B), PDF417, QR code.

NOTE: Scanner to be configured by the dealer.

DETAIL 1



DETAIL 2





“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE