

# SPSZ

## SPSZ SERIES SINGLE POINT STAINLESS STEEL LOAD CELLS



Stainless steel load cells for off center loads, suitable for example to build CE-M approved scales with a single load cell with maximum dimensions of 800x800 mm.

**CAPACITIES (kg)**: 500, 1000.

**OIML R60**. **C3** precision class.

17-4 PH stainless steel. IP68 protection.


### **MAIN FEATURES**

- C3 PRECISION CLASS
- OFF CENTER LOAD COMPENSATED
- MADE IN 17-4 PH STAINLESS STEEL
- IP68 PROTECTION
- MAX. CAPACITIES FROM 500 TO 1000 kg
- FOR PLATFORMS WITH DIMENSIONS UP TO 800 X 800 mm
- SHIELDED CONNECTION CABLE
- TEST CERTIFICATE AVAILABLE UPON REQUEST

## **TECHNICAL FEATURES**

- Minimum load cell verification interval: Vmin = EMax / 10.000
- Maximum number of verification intervals: nLC = 3000
- Full Scale Output: 2mV/V +/- 10%
- Temperature effect on zero: 0,01% FS/10K
- Temperature effect on full scale output: 0,001% FS/10K
- Compensated Temperature Range: -10°C/+40°C
- Operating Temperature Range: -10°C/+50°C
- Creep at nominal load in 30 minutes: ± 0,01% F.S.
- Maximum tolerated excitation voltage: 15 VDC
- Input Resistance: 380 ± 15 Ohm
- Output Resistance: 350  $\pm$  10 Ohm
- Insulation Resistance (100V) >2000 MOhm
- Safe Overload: 300% F.S.
- Ultimate Overload: 300% F.S.
- Nominal displacement: < 0.5 mm
- 6-wire shielded cable, 3m long, 5mm diameter

# DETAIL 1



## Dimensions in mm

<u>Wiring Code</u>		
<u>Colour</u>	<u>Function</u>	
WHITE	OUTPUT +	
GREEN	SENSE +	
BLUE	INPUT +	
RED	OUTPUT -	
BLACK	INPUT -	
GREY	SENSE -	

## VERSIONS

Available versions		
	Piatto	Max
Codice	Max (mm)	(kg)
SPSZ500	800 x 800	500
SPSZ1000	800 x 800	1000





DINI ARGEO FRANCE sarl France DINI ARGEO GMBH Germany

DINI ARGEO UK Ltd United Kingdom DINI ARGEO WEIGHING INSTRUMENTS Ltd China DINI ARGEO OCEANIA Australia



#### **COMPANY HEADQUARTERS**

Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 921784

-	
	SALES AND TECHNICAL ASSISTANCE SERVICE