

WKD-1

"WKD - C4": KIT FOR WEIGHBRIDGES WITH TOUCH-SCREEN INDICATOR



Weighbridges kit made up of 3590ETD touch screen weight indicator with AFO3 software for weighbridges, 6 or 8 stainless steel IP68 "RCD" digital load cells, complete with galvanized steel oscillating resting joints and junction box with surge arresters.

Touch screen indicator, specific for weigh bridge.

Junction box with removable terminals and integrated surge arres.

DIGITAL load cells in stainless steel.

CAPACITY: **180t, 240t**.

OIML R60. C4 precision class.

Load cell height 170mm (including cups height).

"Anti rat" armoured cable for each load cell.

for advanced industrial applications

"3590ETD" INDICATOR

- Touch screen, graphic, color display.
- ABS waterproof IP65 case.
- Integrated alibi memory for CE-M approved communication with printer and PC.
- 3 serial ports, 2 RS232 and 1 RS485 for connection to printer, repeater and PC.
- 2 inputs and 4 outputs.
- Power supply unit specifically for digital load cells.
- Protection board for power supply circuit and communication between digital load cells and self-resetting Surge Arresters.
- "AFO3" application software suitable for vehicles weighing and weighbridges management, with input/output products check.

To view the full technical data sheet click **HERE**.

DETAIL 1

DETAIL 2











DINI ARGEO FRANCE sarl France DINI ARGEO GMBH Germany DINI ARGEO UK Ltd United Kingdom DINI ARGEO WEIGHING INSTRUMENTS Ltd China DINI ARGEO OCEANIA Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE