

JB4PLUS

"JB4PLUS": EQUALIZED JUNCTION BOX WITH OVERVOLTAGE PROTECTION, UP TO 4 LOAD CELLS



Junction box with 4 inputs and protection IP67 suitable for outdoor environments. It can be used as equalization or simple junction box of 2, 3 or 4 load cells. Screw terminal boards to facilitate the connection and signal adjustment trimmer, for an accurate and reliable equalization. The protection circuit protects from lightning and overvoltage.

The best solution for advanced industrial applications

TECHNICAL FEATURES

- Case in ABS. Protection degree: IP67.
- Maximum input voltage: 24Vdc.
- Maximum input current: 700mA.
- Maximum input load cell signal: 1000mV.
- Peak Pulse Current: 15kA.
- Temperature effect: 50ppm/°C.
- Dimensions (lxwxh): 120x80x55mm.





DINI ARGEO FRANCE sarl France DINI ARGEO GMBH Germany DINI ARGEO UK Ltd United Kingdom DINI ARGEO WEIGHING INSTRUMENTS Ltd China DINI ARGEO OCEANIA Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 921784 SALES AND TECHNICAL ASSISTANCE SERVICE

.....

All the specifications and images can be subject to variations and upgrades without prior notice.