

SBFP

"SBFP": ABS FEET FOR LOAD CELLS



ABS articulated feet with steel thread, for SBxx load cells. Extremely reduced height, particularly suitable for creating 4-cell platforms.

The best solution  
for advanced industrial  
applications

## MAIN FEATURES

- Applicable on SBxx series' shear beam load cells.
- Designed especially for use on 4-cell platforms.
- Compact and simple to install, thanks to the reduced height.
- Adjustable height.
- Completely ABS construction, with steel thread.
- Non-slip rubber built into the base of the foot.
- To combine with BLKM121 bush.



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

**DINI ARGEO  
FRANCE sarl**  
France

**DINI ARGEO  
GMBH**  
Germany

**DINI ARGEO  
UK Ltd**  
United Kingdom

**DINI ARGEO WEIGHING  
INSTRUMENTS Ltd**  
China

**DINI ARGEO  
OCEANIA**  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

**SERVICE ASSISTANCE**

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE