

CLV

CLV: U CLEVIS FOR RBJ ROD-END BALL JOINTS



Steel clevis for the easy installation of the tension load cells. In combination with the RBJ rod-end ball joints, they allow you the correct alignment of the suspended load.

**The best solution
for advanced industrial
applications**

TECHNICAL FEATURES

- Material: galvanized steel.
- Easy to install.
- Fitted with threaded bush for an easy installation to the supporting system.
- Locking pin fitted as a standard, with a quick locking/unlocking system.

DETAIL 1



DETAIL 2



CLV clevis with pin and seegers (M24).

DETAIL 3





“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

**DINI ARGEO
FRANCE sarl**
France

**DINI ARGEO
GMBH**
Germany

**DINI ARGEO
UK Ltd**
United Kingdom

**DINI ARGEO WEIGHING
INSTRUMENTS Ltd**
China

**DINI ARGEO
OCEANIA**
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE