

LTP

"LTP" HYDRAULIC WEIGHING KIT FOR FORKLIFTS



Easy to install, it is connected to the hydraulic system with a simple tee connector. Ideal for simple weight checks, control of goods in and out of the warehouse, prevention of overloading of the forklift and racking.

**The best solution
for advanced industrial
applications**

WEIGHT INDICATOR

- Digital specific weight indicator for weighing by means of hydraulic pressure sensor.
- Operating modes selectable directly by the user, by means of a dedicated key:
 - Net/Gross
 - lb/kg conversion
 - Free conversion factor (for meter counting systems, litre counters, etc.)
 - Weight totalisation
- ABS enclosure with 25mm backlit LCD display with 6 high contrast digits and icons to indicate active functions. Waterproof functional keypad with 5 keys.
- Power supply from 4 AA batteries, also rechargeable or from the forklift.
- Available with thermal printer and power supply from the forklift.

HYDRAULIC PRESSURE SENSOR

- Max. capacity 4.000 PSI / 280 BAR.
- Precision: from 0,5% to 5% of capacity, min. 20 kg (*this value can be influenced by several factors, please refer to the manual for more information*).
- 6m shielded connection cable with removable connector.
- Stainless steel execution.
- IP65 protection rate.
- Hydraulic connector: 1/4" parallel BSP.

FIXING BRACKET

- Equipped with fixing bracket on forklift, vertically tilting and swivelling. Universal compatibility with most forklifts.

DETAIL 1



LTP hydraulic pressure sensor kit with weight indicator and thermal printer.



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE